

### 1. IPC74520B17-AI



**H.265+ 2MP Network Camera 1/ 2.9" CMOS Starlight**  
Smart IR,DWDR,2D/3D DNR;Audio I/O: 1/ 1, Mobile Surveillance  
5 Smart Functions + **Face Detection**  
Dual Stream: 25/ 30fps@1080P, 25/ 30fps@D1 Onvif2.6, Profile S, CGI  
14μX18pcs SMD LED/ IR range 30m  
Fixed 3.6mm Manual Lens  
IP66 Metal Housing DC12V,Built-in POE  
Size: 62x163mm Gross Weight: 410g



### 2. IPC74521B1A-TAL



**H.265+ 2MP Network Camera, 1/ 2.8" CMOS Starlight**  
Smart IR, **120dB WDR**, 2D/3D DNR, Audio I/O: 1/ 1, Mobile Surveillance  
5 Smart Functions + Face Detection  
TripleStream: 25 /30fps@1080P, 25/ 30fps@720P, 25/ 30fps@CIF, Onvif2.6, Profile S, CGI  
2pcs Array LED / IR Range 30m **1pcs Strobe Light**  
3.6 mm Fixed Lens  
IP66, Metal housing, DC12V, Built-in POE, **SD Card Support 128G**  
Size: 66x175.3mm Gross Weight: 280g



### 3. IPC714211B1A-TAL



**H.265+ 2MP Network Camera 1/ 2.8" CMOS Starlight**  
Smart IR, 120dB WDR, 2D/3D DNR, Audio I/O: 1/ 1, Mobile Surveillance  
5 Smart Functions  
**Triple Stream: 25 /30fps@2MP, Onvif(Profile S), CGI**  
2pcs Array LED / IR Range 30m, **1pcs Strobe Light**  
**2.8 mm Fixed Lens**  
IP67, Metal housing, DC12V, Built-in POE  
**SD Card Support 128GB**  
Size: 176X65mm, Gross Weight: 500g




### 4. IPC74520D89-FMI



**H.265+ 2MP Network Camera 1/ 2.9" CMOS Starlight**  
Smart IR,DWDR,2D/3D DNR;Audio I/O: 1/ 1, Mobile Surveillance  
5 Smart Functions + **Face Detection**  
Dual Stream: 25/ 30fps@1080P, 25/ 30fps@D1 Onvif2.6, Profile S, CGI  
14μX18pcs SMD LED/ IR range 30m  
fixed 3.6mm Manual Lens  
IP67 Metal Housing, **IK10**, DC12V,Built-in POE, **SD Card Support 128G, Built-in Mic**  
Size: 164x62mm Gross Weight:460g




### 5. IPC714211D89-TM



**H.265+ 2MP Network Camera 1/ 2.8" CMOS Starlight**  
Smart IR, 120dB WDR, 2D/3D DNR, Mobile Surveillance  
5 Smart Functions  
**Triple Stream: 25 /30fps@2MP, Onvif(Profile S), CGI**  
18pcs SMD LED / IR Range 30m  
**2.8 mm Fixed Lens**  
IP67, Metal housing, **IK10**, DC12V, Built-in POE  
**Built-in Mic, SD Card Support 128GB**  
Size: Φ 112X88.5(H) mm, Gross Weight: 500g




### 6. IPC74520C29-AI



**H.265+ 2MP Network Camera 1/ 2.9" CMOS Starlight**  
Smart IR,DWDR,2D/3D DNR;Audio I/O: 1/ 1, Mobile Surveillance  
5 Smart Functions + **Face Detection**  
Dual Stream: 25/ 30fps@1080P, 25/ 30fps@D1 Onvif 2.6, Profile S, CGI  
14μX30pcs SMD LED/ IR range 50m  
Varifocal 2.8 -12mm Manual Lens  
IP66 Metal Housing, DC12V,Built-in POE  
Size: 235x73x83mm Gross Weight: 700g



### 7. IPC74521C29-AI



**H.265+ 2MP Network Camera, 1/ 2.8" Sony CMOS Sensor Starlight**  
Smart IR, **120dB WDR**, 2D/3D DNR, Audio I/O: 1/ 1, Mobile Surveillance  
5 Smart Functions + Face Detection  
TripleStream: 25 /30fps@1080P, 25/ 30fps@720P, 25/ 30fps@CIF, Onvif2.6, Profile S, CGI  
14μ\*30pcs SMD LED, IR range up to 50M  
Manual Varifocal 2.8- 12mm Lens  
IP66, Metal Housing, DC12V, Built-in PoE  
Size: 235x73X83mm Gross Weight: 760g



8. **IPC74520E91-I**



**H.265+ 2MP Network Camera 1/ 2.9" CMOS Starlight**  
Smart IR, DWDR, 2D/3D DNR; Mobile Surveillance  
5 Smart Functions + **Face Detection**  
Dual Stream: 25/ 30fps@1080P, 25/ 30fps@D1 Onvif 2.6, Profile S, CGI  
14µX24pcs SMD LED/ IR range 40m  
Varifocal 2.8- 12mm Manual Lens  
IP66 Metal Housing, DC12V, Built-in POE  
Size: 140x105mm Gross Weight: 780g



9. **IPC714211C2C-TALZ**



**H.265+ 2MP Network Camera 1/ 2.8" CMOS Starlight**  
Smart IR, 120dB WDR, 2D/3D DNR, Audio I/O: 1 / 1, Mobile Surveillance  
5 Smart Functions  
**Triple Stream:** 25 /30fps@2MP, Onvif(Profile S), CGI  
4pcs Array LED / IR Range 50m, **1pcs Strobe Light**  
Motorized lens, 2.7~13.5mm  
**IP67**, Metal housing, DC12V, Built-in POE  
**SD Card Support 128GB**  
Size: 74.5X218.9mm, Gross Weight: 870g



10. **IPC714211E89-TMZ**



**H.265+ 2MP Network Camera 1/ 2.8" CMOS Starlight**  
Smart IR, 120dB WDR, 2D/3D DNR, Mobile Surveillance  
5 Smart Functions  
**Triple Stream:** 25 /30fps@2MP, Onvif(Profile S), CGI  
30pcs SMD LED / IR Range 40m  
Motorized lens, 2.7~13.5mm  
**IP67**, Metal housing, **IK10**, DC12V, Built-in POE  
**Built-in Mic, SD Card Support 128GB**  
Size: Φ 142X114mm, Gross Weight: 950g



### 11. IPC74650B17WD-AI



**H.265+ 5MP Network Camera 1 /2.8" CMOS Starlight**  
Smart IR, 120dB WDR,2D/3D DNR;Audio I/O: 1/ 1, Mobile Surveillance  
5 Smart Functions + **Face Detection**  
Dual Stream: **20fps@5MP**, 12fps@720P, Onvif2.6, Profile S, CGI  
18pcs SMD LED, IR range up to 30M  
fixed 3.6mm Lens  
IP66 Metal Housing DC12V,Built-in POE  
Size: 62x164mm Gross Weight:400g



### 12. IPC7N513B1A-TAL



**H.265+ 5MP Network Camera 1 /2.8" CMOS Starlight**  
Smart IR, 120dB WDR,2D/3D DNR, Mobile Surveillance  
5 Smart Functions  
Triple Stream: **20fps@5MP**, 25 /30fps@720P, 25 /30fps@CIF, Onvif2.6, Profile S, CGI  
2pcs Array LED / IR Range 30m, **1pcs Strobe Light**  
**2.8 mm Fixed Lens**  
IP67, Metal housing, DC12V, Built-in POE  
**SD Card Support 128GB, Reset Button**  
Size: 165x65mm Gross Weight: 200g



### 13. IPC74650D89WD-AI



**H.265+ 5MP Network Camera 1 / 2.8" CMOS Starlight**  
Smart IR, 120 dB WDR,2D/3D DNR;Audio I/O: 1/ 1, Mobile Surveillance  
5 Smart Functions + **Face Detection**  
Dual Stream: **20fps@5MP**, 12fps@720P, Onvif2.6, Profile S, CGI  
14μX18pcs SMD LED/ IR range 30m  
Fixed 3.6mm Lens  
IP66 Metal Housing, **IK10**, DC12V,Built-in POE  
Size: 101x88.5mm Gross Weight: 540g



### 14. IPC7N513D89-TM



**H.265+ 5MP Network Camera 1 /2.8" CMOS Starlight**  
Smart IR, 120dB WDR,2D/3D DNR, Mobile Surveillance  
5 Smart Functions  
Triple Stream: **20fps@5MP**, 25 /30fps@720P, 25 /30fps@CIF, Onvif2.6, Profile S, CGI  
18pcs IR LED / IR Range 30m  
**2.8 mm Fixed Lens**  
IP67, Metal Housing, **IK10** DC12V, Built-in POE  
**Built-in Mic, SD Card Support 128GB, Reset Button**  
Size: 114x89.8mm Gross Weight: 550g



### 15. IPC70651E89WD-AI



**H.265+ 5MP Network Camera 1 / 2.7" CMOS**  
Smart IR, 120dB WDR,2D/3D DNR;Audio I/O: 1/ 1 , Mobile Surveillance  
13 Smart Functions + **Face Detection**  
TripleStream: **25 /30fps@5MP**, 25/ 30fps@D1, 25/ 30fps@CIF, Onvif2.6, Profile S, CGI  
14μX24pcs SMD LED/ IR range 40m  
Varifocal 2.8- 12mm Manual Lens  
IP67, Metal Housing, **IK10**, DC12V,Built-in POE  
Size: 142x113mm Gross Weight:940g



### 16. IPC6A513E89-TPZ



**H.265+ 5MP Network Camera 1 /2.8" CMOS Starlight**  
Smart IR, 120dB WDR,2D/3D DNR, Mobile Surveillance  
**18 Smart Functions include Face Detection+People Counting**  
Triple Stream: **30fps@5MP**, 25fps@720P, 25 /30fps@CIF, Onvif2.6, Profile S, CGI  
30pcs SMD LED, IR range up to 40M  
**Motorized 2.7 -13.5mm Lens**  
IP67, Metal Housing, **IK10** DC12V, Built-in POE  
**SD Card Support 128GB, Alarm 1/ 1, Reset Button**  
Size: 141x120mm Gross Weight: 1160g



### 17. IPC7N513E89-TMZ



**H.265+ 5MP Network Camera 1 /2.8" CMOS Starlight**  
Smart IR, 120dB WDR,2D/3D DNR, Mobile Surveillance  
5 Smart Functions  
Triple Stream: **20fps@5MP**, 25 /30fps@720P, 25 /30fps@CIF, Onvif2.6, Profile S, CGI  
18pcs IR LED / IR Range 40m  
**Motorized 2.7 -13.5mm Lens**  
IP67, Metal Housing, **IK10** DC12V, Built-in POE  
**Built-in Mic, SD Card Support 128GB, Reset Button**  
Size: 142x114mm Gross Weight: 950g



18. **IPC6A513C2C-TPLZ**



**H.265+ 5MP Network Camera 1 /2.8" CMOS Starlight**  
Smart IR, 120dB WDR,2D/3D DNR;Audio I/O: 1/ 1, Mobile Surveillance  
**18 Smart Functions include Face Detection+People Counting**  
Triple Stream: **30fps@5MP**, 25fps@720P, 25 /30fps@CIF, Onvif2.6, Profile S, CGI  
42mil x4pcs Array LED, IR range up to 50M, **1pcs Strobe Light**  
**Motorized 2.7 -13.5mm Lens**  
**IP67**, Metal Housing, DC12V, Built-in POE  
**SD Card Support 128GB, Alarm 1/ 1, Reset Button**  
Size: 74.5x219mm Gross Weight:820g



19. **IPC7N513C2C-TALZ**



**H.265+ 5MP WDR Network Camera 1 /2.8" CMOS Starlight**  
Smart IR, 120dB WDR,2D/3D DNR, Audio I/O: 1 /1, Mobile Surveillance  
**5 Smart Functions**  
Triple Stream: **20fps@5MP**, 25 /30fps@720P, 25 /30fps@CIF, Onvif2.6, Profile S, CGI  
42mil x4pcs Array LED, IR range up to 50M, **1pcs Strobe Light**  
**Motorized 2.7 -13.5mm Lens**  
**IP67**, Metal Housing, DC12V, Built-in POE  
**SD Card Support 128GB, Reset Button**  
Size: 74.5x219mm Gross Weight: 820g



# 16Ch

NVR6B16P-N53



# 32Ch

NVR6B32P-N53-2H



NVR6B32EP-W27-4H



NVR6B32P-W26-8H



1. **NVR6B16P-N53**



16CH **H.265+ 4K** NVR Bandwidth I/O:160M/256M  
 16CH IP Video input, up to 12MP  
 16ch 1080P Playback  
 cloud storage/ cloud upgrade/smart playback  
 15 Smart functions + Face detection+Parking detection+ People counting  
 Audio I/O:1/ 1; Alarm I/O:8/1  
 HDMI, VGA, SATA\*2(8T HDD), 3G/4G, WIFI  
 Remote Control,USB Mouse, DC12V/5A Adapter  
 Dimension:380(W)x298(D)x45(H)mm



2. **NVR6B32P-N53-2H**



32CH **H.265+ 4K** NVR Bandwidth I/O:256M/256M  
 32CH IP Video input  
 Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras  
 16ch 1080P Playback  
 cloud storage/ cloud upgrade/smart playback  
 15 Smart functions + Face detection+Parking detection+ People counting  
 Audio I/O:1/1;Alarm I/O:8/1; 1\*RS485  
 HDMI, VGA, SATA\*2 (8T HDD),3G/4G, WIFI  
 Remote Control, USB Mouse,DC12V/5A Adapter  
 Dimension:380(W)x305(D)x45(H)mm



3. **NVR6B32EP-W27-4H**



32CH **H.265+ 4K** NVR Bandwidth I/O :256M/256M  
 Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras  
 32ch 8MP Record/4ch 8MP Playback  
 cloud storage/ cloud upgrade/smart playback  
 15 Smart functions + Face detection+Parking detection+ People counting  
 32ch 1080P Record/16ch 1080P Playback  
 Audio I/O:1/ 2; Alarm I/O:16 /4; 1\*RS485  
 1\*HDMI, VGA,SATA\*4(8T HDD), 3G/4G,WIFI  
 Remote Control,USB Mouse,AC100~240V  
 Dimension:440(W)x452(D)x90(H)mm



4. **NVR6B32P-W26-8H**



32CH **H.265+ 4K** NVR Bandwidth I/O:256M/256M  
 Support 12MP/8MP/5MP/4MP/3MP/1080P/720P Cameras  
 32ch 8MP Record/4ch 8MP Playback  
 32ch 8MP Recording/16ch 1080P Playback  
 cloud storage/ cloud upgrade/smart playback  
 15 Smart functions + Face detection+Parking detection+ People counting  
 Audio I/O:1 /2;Alarm I/O:16 /4;2\*RS485  
 2\*HDMI,VGA,SATA\*8(8T HDD),eSATA\*1,3G/4G,WIFI  
 Remote Control,USB Mouse,AC100~240V  
 Dimension:440(W)x452(D)x90(H)mm

